

Personal Desktop Charging Station with 2-Outlet Surge Protector, 6 ft. (1.83 m) Cord, 1080 Joules, 4 x USB (4.8A total)

MODEL NUMBER: TLP26USBB











Highlights

- 2 outlet / 6-ft. cord
- 1080 joule rating
- 4.8 amp quad port USB charger

Package Includes

- TLP26USBB Personal Desktop Charging Station
- Instruction manual with warranty information

Description

Tripp Lite's TLP26USBB Personal Desktop Charging Station provides exceptional convenience for daily charging tasks. Perfect for home, office, workstations and dorm rooms. With 2 AC outlets for safe power and 4 USB port with 4.8 amps of total power, this charging station can easily handle multiple devices. The built in slot can hold your tablet or phone for hands free viewing while charging. TLP26USBB Personal Desktop Charging Station offers 2 total outlets, 6 foot cord, 4 USB charging ports for a total of 4.8 amps, and diagnostic LED to warn of suppressor damage. AC suppression rated at 1080 joules shields equipment from surges and line noise. . \$50,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only).

PLUG/OUTLETS: Input: NEMA5-15P/Output: 6 NEMA5-15R/6-ft. (1.83 m) AC line cord

ELECTRICAL: 120V AC, 60Hz, 15A (Requires NEMA5-15R wall receptacle)

FORMAT: Corded multi-outlet charging station

SUPPRESSION: AC: 150V RMS Clamping/1080 joules/400V UL60905

Features

- 2 outlets
- 6-ft. (1.83 m) cord
- 4 USB charging ports 4.8 amp total
- Built in slot to hold phones and tablets
- Surge suppression rating: 1080 joules
- EMI/RFI noise filtering
- 15 amp resettable circuit breaker
- Green protection LED
- Includes full normal mode (H-N) and common mode (N-G/H-G) line surge suppression
- \$50,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only)
- Automatic shutoff permanently cuts power to outlets if protection circuit is incapacitated, preventing
 equipment damage and indicating replacement is required



Specifications

OVERVIEW		
UPC Code	037332183385	
Product Type	Surge Protector	
Charging Form Factor	Strip	
Device Compatibility	Phone; Tablet; Amazon Kindle	
INPUT		
Nominal Input Voltage(s) Supported	120V AC	
Recommended Electrical Service	120V (110-125V)	
Input Cord Gauge Type	16 gauge; SJT	
Input Cord Gauge (AWG)	16; SJT	
Voltage Compatibility (VAC)	120	
Input Plug Type	NEMA 5-15P	
Input Cord Details	SJT	
Input Cord Length (ft.)	6	
Right-Angle Plug	Yes	
Input Cord Length (m)	1.83	
Integrated Cord Clip	No	
OUTPUT		
Frequency Compatibility	60 Hz	
Output Receptacles	(2) 5-15R	
Circuit Breaker (amps)	15	
Right-Angle Outlets	No	
USER INTERFACE, ALERTS & CONTROLS		
Diagnostic LED(s)	Yes	
Diagnostic LED Details	Built-in LED confirms suppressor "protection present" (green) status	
CHARGING		
Number of Charging Ports	4	
Total Charging Watts	24	
Charging Method	USB	
Charging Port Type	USB A (FEMALE)	
Charging Ports / Amps	(4) 4.8A	



Overcharge Protection	No		
SURGE / NOISE SUPPRESSION	SURGE / NOISE SUPPRESSION		
AC Suppression Joule Rating	1080		
AC Suppression Response Time	< 1 ns		
Protection Modes	Includes full normal mode (H-N) and common mode (N-G / H-G) line suppression		
UL1449 Let Through Rating	400V		
EMI / RFI Filtering	Yes		
Automatic Shut-Off	Yes		
DATALINE SURGE SUPPRESSION			
Cable (Coax) Protection	No		
Network (Ethernet) Protection	No		
Telephone/DSL Protection	No		
PHYSICAL			
Material of Construction	Plastic		
Power Cord Color	Black		
Housing Color	Black		
Mounting Holes or Slots	No		
Receptacle Color	Black		
Shipping Dimensions (hwd / in.)	3.60 x 6.50 x 5.80		
Shipping Dimensions (hwd / cm)	9.14 x 16.51 x 14.73		
Shipping Weight (lbs.)	1.60		
Shipping Weight (kg)	0.73		
Unit Dimensions (hwd / in.)	1.420 x 5.210 x 5.210		
Unit Dimensions (hwd / cm)	3.61 x 13.23 x 13.23		
Unit Weight (lbs.)	1.2		
Unit Weight (kg)	0.54		
Input Cord Color	Black		
FEATURES & SPECIFICATIONS			
Rotatable Outlets	No		
Antimicrobial	No		
GaN Technology	No		
STANDARDS & COMPLIANCE			



Product Certifications	CAN/CSA-C22.2 No. 269.3 (Canada); cUL Listed; NOM (Mexico); UL 1449; UL Listed	
Product Compliance	RoHS	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	Lifetime limited warranty	
Connected Equipment Insurance (U.S., Canada & Puerto Rico)	\$50,000 Ultimate Lifetime Insurance	



© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark. All other trademarks are the property of their respective owners.