

USB-IF Certified Multi-Device USB Charger, 110W Total, 1x USB-C PD 3.0 PD port (86W) and 4x USB-A Auto-sensing ports

MODEL NUMBER: U280-005-WS4C1



Charges up to 5 USB devices, ranging from smartphones and tablets to power-intensive MacBooks and Amazon Kindles, at the same time.

Features

Portable USB Charging Station Charges Up to 5 Devices at the Same Time At home or in the office, this USB charging station provides enough power and ports to keep your devices at 100% capacity. No more peering behind furniture to find an available outlet or unplugging one device to charge another. This compact charging station charges up to five devices at the same time, including smartphones, tablets, MacBooks, Chromebooks, Amazon Kindles, and handheld gaming consoles at a maximum of 110W. It doesn't require a computer, so you can take it anywhere AC power is available.

Provides Plenty of Juice for Charging with Auto-Sensing Technology Four USB-A ports are split into two banks, each capable of delivering up to 5V 2.4A (12W) of power—enough for fast-charging smartphones and other mobile devices. Built-in auto-sensing lets the port detect the connected device and automatically adjust the required power level accordingly for optimum charge and compatibility. For devices that are even more powerful, the USB-C port provides up to 20V 4.3A (86W) for battery-intensive devices like the MacBook Pro or Chromebook Pixel. The USB-C port supports PD 3.0 Charging, which is up to four times faster than conventional USB charging.

USB-IF Certification Ensures Rigorous Testing and Top-of-the-Line Performance This cable meets the high standards of USB-IF (USB Implementers Forum, Inc.), a non-profit organization consisting of companies that developed the USB specification. Receiving USB-IF certification means the U280-005-WS4C1 meets the industry's highest environmental, mechanical and electrical standards. It operates with your USB peripherals, adapters and cables with top efficiency and safety.

Easy to Use with the Included Power Cord To charge your USB devices, simply plug the included four-foot power cord into any standard AC outlet, and connect your devices to the available USB ports. The charger protects against overheating, overcurrent and overcharging—in fact, it stops charging as soon as your devices' batteries reach capacity.

Specifications

OVERVIEW

Highlights

- Certified by USB-IF to ensure highest-grade construction and performance
- USB-C port charges PD 3.0 devices up to 4 times faster than normal USB charging
- Auto-sensing USB-A ports adjust charging power for optimum charge and compatibility
- Stops charging when connected device is at full capacity to protect battery from damage
- Connects to any NEMA 1-15R, 5-15R or 5-15R/20R AC outlet for immediate charging

Applications

- Charge up to 5 devices including smartphones, notebooks, tablets, Amazon Kindles, smart watches, earbuds, handheld game consoles and more at the same time
- Perfect for homes with busy families, dorm rooms and offices with multiple mobile devices

System Requirements

- Power cord for 120V applications included. For 230V applications, you will need to provide an applicable 230V power cord (sold separately).

Package Includes

- U280-005-WS4C1 5-Port USB Charging Station
- C7 to NEMA 1-15P power cord, 4 ft.
- Quick Start Guide



Powering Business Worldwide



| | |
|--|---|
| UPC Code | 037332241030 |
| Product Type | Charging Station |
| Charging Form Factor | Charging Hub |
| Device Compatibility | Phone; Tablet; Amazon Kindle; Laptop; Amazon Kindle |
| INPUT | |
| Nominal Input Voltage(s) Supported | 120V AC; 230V AC |
| Input Connection Type | IEC C7 |
| Plug Type | C7 to NEMA 1-15P |
| Voltage Compatibility (VAC) | 100; 110; 120; 125; 127; 200; 208; 220; 230; 240 |
| Input Frequency | 50 / 60 Hz |
| Input Plug Type | NEMA 1-15P (NON-POLARIZED) |
| Input Current | 5V (4.8A) / 20V (4.3A) |
| OUTPUT | |
| Overload Protection | Yes |
| BATTERY | |
| Battery Charging (5V/1.5A Port) | Yes |
| POWER | |
| Power Source Type | AC Adapter with detachable power cord |
| Power Consumption (Watts) | 0.3 |
| USB Power Delivery (PD) Charging Support | Yes |
| USB Power Delivery (PD) Charging Specification | 3.0 |
| Power Consumption Detail | 0.3 (No Load) |
| CONNECTIONS | |
| Number of Ports | 5 |
| Side A - Connector 1 | NEMA 1-15P (NON-POLARIZED) |
| Side B - Connector 1 | (4) USB A (FEMALE) |
| Side B - Connector 2 | USB C (FEMALE) |
| CHARGING | |
| Number of Charging Ports | 5 |
| Total Charging Amps | 9.1A |
| Total Charging Watts | 110 |



Powering Business Worldwide



| | |
|--------------------------------------|--|
| Charging Method | USB |
| Charging Method Detail | Power Delivery 3.0 |
| Charging Port Type | (4) USB A (FEMALE); USB C (FEMALE) |
| Charging Ports Details | USB-A: 5V/2.4A USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/4.3A |
| Charging Ports / Amps | (4) 2.4A; 3A / 4.3A |
| Overcharge Protection | Yes |
| Compatible Devices | Chromebook; Laptop; Portable Speaker; Smartphone; Tablet; Video Game Console |
| PHYSICAL | |
| Color | Black |
| Material of Construction | Polycarbonate |
| Shipping Dimensions (hwd / in.) | 1.81 x 9.25 x 4.65 |
| Shipping Dimensions (hwd / cm) | 4.60 x 23.50 x 11.81 |
| Shipping Weight (lbs.) | 1.16 |
| Shipping Weight (kg) | 0.53 |
| Unit Dimensions (hwd / in.) | 6.300 x 3.000 x 1.100 |
| Unit Dimensions (hwd / cm) | 16 x 7.6 x 2.8 |
| Unit Packaging Type | Box |
| Unit Weight (lbs.) | 0.8 |
| Unit Weight (kg) | 0.36 |
| ENVIRONMENTAL | |
| Operating Temperature Range | 32° to 95°F (0° to 35°C) |
| Storage Temperature Range | -4° to 185°F (-20° to 85°C) |
| BTUs | 1.02 |
| Operating Humidity Range | 5% to 95% RH, NON-CONDENSING |
| Storage Humidity Range | 20% to 90% RH, NON-CONDENSING |
| FEATURES & SPECIFICATIONS | |
| GaN Technology | No |
| Overcurrent Protection | Yes |
| Overvoltage Protection | Yes |
| Over Current Protection | Yes |
| STANDARDS & COMPLIANCE | |
| Product Certifications | USB-IF; cUL Listed; UL Listed |
| Product Compliance | RoHS; REACH; FCC (USA) |



Powering Business Worldwide



| WARRANTY & SUPPORT | |
|-------------------------------------|-------------------------|
| Product Warranty Period (Worldwide) | 2-year limited warranty |

1000 Eaton Boulevard
Cleveland, OH 44122
United States
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.
Eaton is a registered trademark. All other trademarks
are the property of their respective owners.